







VILA HADOVKA

KOMPLETNÍ REKONSTRUKCE COMPLETE RECONSTRUCTION

Cílem rozsáhlé rekonstrukce vily bylo zpřístupnit suterénní a hlavně půdní prostory. Došlo ke konstrukčnímu zpevnění stávajících stropů, kompletní výměně všech rozvodů. Původní teracové schodiště bylo zrepasováno a doplněno. Podlahové povrchy jsou částečně marmoleum a částečně dřevěné vlysové podlahy. Suterénní prostory byly odvlhčeny systémem sanací a drenáží vč. vzduchového provětrání. Na římsy, kryty venkovních rolet a zádveří byl použit hliníkový lakovaný plech. Fasáda je členitá jak se zateplovacím systémem s minerální omítkou, tak s speciálně taženými prvky na ploše okolo schodiště a obkladovými cihelnými pásky.

Projektant: Ing. Arch. Jiří Špaček
Doba výstavby: 16 měsíců

The aim of the extensive reconstruction was to make the basement and the main attic area available for living. The original terrazzo staircase was adapted and completed and the basement dehumidified with drainage and a moisture-resistant plaster coating. The floor tiles are partly marble and partly wooden. For the ledges, covers of the outside blinds and for the vestibule we used painted aluminium tin sheets. The facade is rough because of the insulation system with its mineral plaster and because of its special pattern around the stairs and brick tile lining.

Planning: Ing. Arch. Jiří Špaček
Completion time: 16 months

